

MAXPUMP

DESIGNED FOR ELITE ATHLETES



CATALOGUE

MAXPUMP ENGINEERED IN USA

Established in 2019 and engineered in the USA

MAXPUMP is committed to crafting professional training equipment tailored for elite athletes. Collaborating with top-notch professionals and institutions worldwide, we continuously innovate, creating unique and scientifically patented products, aiming for perfection in every product.

Innovative design
Premium quality
Timely delivery
Customizable options

MAXPUMP



OUR TEAM

BIG RAMY

Global Brand Ambassador
Middle East Director
R&D & Technical Advisor

KAMAL ELGALNI

Global Brand Ambassador
North Africa Director
R&D & Technical Advisor

ROELLY WINRKELAAR

Global Brand Ambassador
R&D & Technical Advisor

LARRY WHEELS

Product Testing Expert

MAXPUMP



MAXPUMP

CATALOGUE

1-10 EVOLUTION

11-30 P-LOADED

31-36 ELITE

37-42 BENCH&RACKS

43-48 GLUTEMAX

49-70 FREE WEIGHT

EVOLUTION

STRENGTH

The Evolution series adheres to biomechanical principles, utilizes patented technology to create innovative superset training equipment. Grounded in scientific biomechanics, our focus is to maximize user efficiency, minimize tendon pressure, and prevent exercise-related injuries. By integrating specialized angles based on ergonomic principles, we aim to achieve peak muscle fiber output in the shortest time.

A7021




DECLINE CHEST PRESS & PEC DEC SUPERSET

DIMENSIONS	STACK
906.3*1730*2103(MM)	125KG
3.0*5.7*6.9(FT)	276LB



DETAILS

- Machine for training pectoralis
- Advanced Biomechanics
- Adjustable seat height and chest position
- Combination training of decline chest press and chest fly
- Full range of motion for pec dec moving parts



A7031



TRICEP OVERHEAD EXTENSION & DIP SUPERSET

DIMENSIONS	STACK
1630*1200*1625(MM)	100KG
5.3*3.9*5.3(FT)	220LB



DETAILS

- Machine for training pectoralis, triceps
- Advanced Biomechanics
- Adjustable seat height and chest position
- Combination training of decline chest press and chest fly
- Full range of motion for pec dec moving parts



A7003




STANDING LATERAL RAISE & FLY

DIMENSIONS	STACK
1450*950*2040(MM)	125KG
4.8*3.1*6.7(FT)	276LB



DETAILS

- Machine for training deltoids and pectoralis
- Advanced Biomechanics
- Adjustable vertical running track



A7008



HIGH ROW & LOW ROW SUPERSET

DIMENSIONS	STACK
2230*1370*1610(MM)	125KG
7.3*4.5*5.3(FT)	276LB



DETAILS

- Machine for training back
- Advanced Biomechanics
- Adjustable seat height
- 5 positions angle design
- Full range of motion
- Support heavy weight training



A7012




PREACHER MULTI BICEPS CURL

DIMENSIONS	STACK
920*1260*1585 (MM)	100KG
3.02*4.13*5.2(FT)	220LB



DETAILS

- Machine for training biceps
- Advanced Biomechanics
- Adjustable seat height
- 5 positions angle design
- Full range of motion
- Support heavy weight training



A7039



STANDING MULTI ROTARY BICEPS CURL

DIMENSIONS	STACK
1060*1070*1760(MM)	100KG
3.5*3.5*5.8(FT)	220LB



DETAILS

- Machine for training biceps
- Advanced Biomechanics
- Adjustable seat height
- Comprehensive training of long head, lateral head and medial head of triceps



A7035




STANDING LATERAL RAISE & FLY

DIMENSIONS	STACK
1740*1020*2500(MM)	200KG
5.7*3.3*8.2(FT)	441LB



DETAILS

- Machine for training back, deltoids, arms
- Advanced Biomechanics
- The moving parts can be adjusted up and down, left and right
- Horizontal adjustment of seat
- Unilateral or bilateral exercise
- Rotary handle grip design



A7020



SEATED LATERAL RAISE & PRESS SUPERSET

DIMENSIONS	STACK
1290*950*1730(MM)	125KG
4.2*3.1*5.7(FT)	276LB



DETAILS

- Machine for training deltoids
- Advanced Biomechanics
- Seated lateral raise and shoulder press
- Adjustable seat height



A7032



MULTI DOUBLE BACK SUPERSET

DIMENSIONS	STACK
1760*940*2430(MM)	125KG
5.8*3.08*8(FT)	276LB



DETAILS

- Machine for training back
- Advanced Biomechanics
- Adjustable seat height in full range
- Unilateral or bilateral exercise



A7019



SEATED ISO MULTI BICEPS CURL

DIMENSIONS	STACK
1270*1740*1410(MM)	100KG
4.2*5.7*4.8(FT)	220LB



DETAILS

- Machine for training biceps
- Advanced Biomechanics
- Adjustable seat height
- The trajectory of the arms adduction is ergonomic
- Great muscle contraction



A7054



STANDING ISO MULTI LEG CURL

DIMENSIONS	STACK
1040*909*1834(MM)	125KG
3.4*2.9*6(FT)	276LB



DETAILS

- Machine for training hamstrings
- Advanced Biomechanics
- Adjustable pedal height
- Adjustable starting angle



A7022




LEG PRESS & EXTENSION SUPERSET

DIMENSIONS	STACK
2340*950*1850(MM)	150KG
7.7*3.1*6.1(FT)	330LB



DETAILS

- Advanced Biomechanics
- Enhancing lower body strength and power
- Machine for training quadriceps, hamstrings
- Wide footrest platform
- The ergonomic design



A7064




CLASSIC POWER LEG EXTENSION

DIMENSIONS	STACK
1570*900*2180(MM)	150KG
5.2*2.9*7.2(FT)	331LB



DETAILS

- Machine for training quadriceps
- Advanced Biomechanics
- Newly upgraded ergonomic design
- Adjustable thrust foam roller
- Adjustable starting angle
- Adjustable backrest



PEC DEC FLY PRO



DIMENSIONS
1120*940*2060(MM)
3.7*3.1*6.8(FT)

STACK
125KG
276LB



ISO LATERAL RAISE



DIMENSIONS
1690*935*1500(MM)
5.5*3.07*4.9(FT)

STACK
125KG
276LB



DECLINE PEC DEC FLY



DIMENSIONS
1400*1120*1500(MM)
4.6*3.7*4.9(FT)

STACK
125KG
276LB

HORIZONTAL
MULTI LEG PRESS

A7024



DIMENSIONS

1850*1100*1650(MM)

6.1*3.6*5.4(FT)

STACK

150KG

331LB



LYING TRICEP
EXTENSION

A7023



DIMENSIONS

1913*920*1850(MM)

6.3*3*6(FT)

STACK

125KG

276LB



SEATED ISO TRICEP
EXTENSION

A7043



DIMENSIONS

1720*940*1750(MM)

5.7*3.1*5.7(FT)

STACK

100KG

220LB



A7095



DIMENSIONS	STACK
1406*1110*1625(MM)	125KG
4.6*3.6*5.3(FT)	276LB

- DETAILS
- Advanced Biomechanics
 - Machine for training hamstrings
 - Assisted handle system
 - Greater range of motion
 - Fully adjustable angles
 - The ergonomic design



MULTI HIP

A7063



DIMENSIONS

1140*1070*1610(MM)

3.7*3.5*5.3(FT)

STACK

100KG

220LB



GLUTE ISOLATOR PRO

A7066



DIMENSIONS

1600*1200*1900(MM)

5.2*3.9*6.2(FT)

STACK

100KG

220LB



ARC GLUTE KICKBACK

A7067



DIMENSIONS

1810*1060*1980(MM)


5.9*3.4*6.5(FT)

STACK

100KG

220LB





P-LOADED STRENGTH

P-loaded follows classic design while incorporating innovative patented technology, supports heavyweight training, and is perfectly aligned with the principles of biomechanics.

Our equipment is built with sturdy and durable materials, offers convenient and flexible usage, and ensures a safer and more efficient workout experience.

A7080



3D SAFETY SQUAT

DIMENSIONS

1360*1932*2400(MM)
4.5*6.3*7.9(FT)



DETAILS

- Machine for training gluteus, quadriceps, hamstrings
- Advanced Biomechanics
- Patented balance control design
- Safe protection measures
- Unilateral or bilateral exercise
- Minimize pressure on the torso and knees



A7081



DOUBLE TRACK SQUAT

DIMENSIONS

2158*1600*1930(MM)
7.1*5.2*6.3(FT)



DETAILS

- Machine for training quadriceps, hamstrings
- Advanced Biomechanics
- Multiple starting positions
- Minimize pressure on the lower back
- Convenient and safe handles for easy use



A7029

INCLINE HIP ABDUCTION


DIMENSIONS

1900*1480*1220(MM)
6.2*4.9*4.0(FT)



DETAILS

- Machine for training gluteus
- Advanced Biomechanics
- Ergonomic design with adjustable hip abduction
- Efficient training for gluteus
- Handle-assisted movement
- Adjustable thigh pads



A7004

SEATED REAR DELTOID


DIMENSIONS

1700*1340*1400(MM)
5.6*4.4*4.6(FT)



DETAILS

- Machine for training upper back, rear deltoids, lower middle part of trapezius
- Advanced Biomechanics
- Adjustable seat
- Adjustable backrest distance
- Design of isolated rear deltoid exercise
- Unilateral or bilateral exercise



A7030

ISO SMITH

DIMENSIONS

1336*2022*2270(MM)
4.4*6.6*7.4(FT)



DETAILS

- Machine for training pectorals, back, deltoids, trapezius
- Advanced Biomechanics
- Smith double handle patented design
- Multiple exercises for different muscle groups
- Support steady heavy weight training
- Safe handle position to prevent injury



A7002

SQUAT STATION PRO

DIMENSIONS

1750*1780*1090(MM)
5.7*5.8*3.6(FT)



DETAILS

- Machine for training gluteus, hamstrings, quadriceps
- Advanced Biomechanics
- Good stability and security
- Oversized heavy-duty frame
- Oversized barbell and comfortable shoulder pads



A7015



SEATED MULTI HIGH

DIMENSIONS

2250*1340*2010(MM)
7.4*4.4*6.6(FT)



DETAILS

- Machine for training latissimus dorsi, rear deltoids
- Advanced Biomechanics
- Adjustable seat
- Multiple handles



A7040



MAX MULTI FRONT ROW

DIMENSIONS

1810*1184*1930(MM)
6*3.9*6.3(FT)



DETAILS

- Machine for training back
- Advanced Biomechanics
- Multiple handle design
- Adjustable seat height



A7005



SUPINE SHOULDER PRESS

DIMENSIONS

2370*1340*1370(MM)
7.8*4.4*4.5(FT)



DETAILS

- Machine for training deltoids Supine angle for training deltoids, reduce the pressure on the spine and triceps
- Advanced Biomechanics
- Adjustable seat angle
- Adjustable handle angle



A7061



STANDING TRICEP EXTENSION & DIP

DIMENSIONS

2125*980*1420(MM)
7.0*3.2*4.7(FT)



DETAILS

- Machine for training triceps and pectoralis
- Advanced Biomechanics
- Inner rotated handle design



A7051



70-DEGREE LEG PRESS

DIMENSIONS

2210*1730*1780(MM)
7.2*5.7*5.8(FT)



DETAILS

- Machine for training quadriceps, hamstrings
- Advanced Biomechanics
- Adjustable bottom backrest
- Adjustable pedal
- Assistive handle



A7034



LAT PULLDOWN & LONG ROW SUPERSET

DIMENSIONS

2280*1560*2325(MM)
7.5*5.1*7.6(FT)



DETAILS

- Machine for training back
- Advanced Biomechanics
- Rotating handle grips and moving parts
- Adjustable seat height
- Support heavy weight training




A7062



ISO BENCH PRESS PRO


DIMENSIONS

1300*1730*1200(MM)
4.3*5.7*4.0(FT)



DETAILS

- Machine for training pectorals
- Advanced Biomechanics
- Rotating handle
- Adjustable seat height
- Unilateral or bilateral exercise
- Minimize pressure for deltoids and triceps



A7037



MULTI LOW ROW & DEADLIFT

DIMENSIONS

1760*1350*1465(MM)
5.8*4.4*4.8(FT)



DETAILS

- Machine for training triceps and pectoralis
- Advanced Biomechanics
- Inner rotated handle design



A7086



ISO INCLINE CHEST PRESS

DIMENSIONS

1840*1680*1485(MM)
6.0*5.5*4.9(FT)

DETAILS

- Advanced Biomechanics
- Machine for training upper pectoralis
- Cushion angle adjustable
- Plate loaded design
- Support heavy weight training



A7090



REVERSE SQUAT

DIMENSIONS

1750*1700*1680(MM)
5.7*5.6*5.5(FT)

DETAILS

- Advanced Biomechanics
- Machine for training gluteus, hamstrings, quadriceps
- Good stability and security
- Plate loaded design
- Support heavy weight training



A7089



CROSSOVER LAT PULLDOWN

DIMENSIONS

1620*1580*2040(MM)
5.3*5.2*6.7(FT)

DETAILS

- Machine for training back Handle adjustable
- Adjustable handle
- Advanced Biomechanics
- Plate loaded design
- Ergonomic design



A7053



VIKING PRESS

DIMENSIONS

1350*1220*1805(MM)
4.4*4.0*5.9(FT)

DETAILS

- Build Shoulder Mass & Strength
- Independent & Balanced Movement
- Ergonomic Design
- Multi-grip handles



A7047



SUPPORTED ANGLE ROW

DIMENSIONS

1870*1372*1350(MM)
6.1*4.5*4.4(FT)



DETAILS

- Machine for training forearms
- Innovative back row trainer
- 65 degree angle
- Rotatable handle
- Adjustable chair angle



A7048



SEATED MIDDLE ROW

DIMENSIONS

1410*2180*2050(MM)
4.6*7.2*6.7(FT)



DETAILS

- Machine for training deltoids, pectoralis, triceps
- Start the incline exercise to reduce stress on the shoulders
- Standard weight storage eliminates the need for separate weight trees
- The most basic bench in free weights



A7044



CROSSOVER MULTI SHOULDER PRESS

DIMENSIONS

1665*1842*1500(MM)
5.5*6*4.9(FT)



DETAILS

- Machine for training deltoids
- Advanced Biomechanics
- Adjustable seat height
- Adjustable backrest angle
- The seat can be adjusted back and forth
- Support heavy weight training



POWER RUNNER



A6014

DIMENSIONS

1370*1450*1440(MM)
4.5*4.8*4.7(FT)



PENDULUM SQUAT PRO



A7049

DIMENSIONS

2380*1280*1740(MM)
7.8*4.2*5.7(FT)



REVERSE HYPER



A6012

DIMENSIONS

1650*1250*1600(MM)
5.4*4.1*5.2(FT)



POWER LEG PRESS

A6017




DIMENSIONS

1770*2146*1284(MM)
5.8*7*4(FT)



INCLINE PEC DEC FLY

A7017




DIMENSIONS

1326*2242*1335(MM)
7.1*5.2*6.3(FT)



SEATED TRICEPS EXTENSION

A7025




DIMENSIONS

1600*1050*1600(MM)
5.2*3.4*5.2(FT)



STANDING HIP THRUST

A7026



DIMENSIONS

1200*1000*1200(MM)
3.9*3.3*3.9(FT)



SEATED ROW

A6001



DIMENSIONS

1200*1600*1300(MM)
4*5.3*4.3(FT)



LEG EXTENSION

A7084



DIMENSIONS

1650*1350*1100(MM)
5.4*4.4*3.6(FT)




POWER SQUAT&CALF

A7091



DIMENSIONS

2260*1320*1765(MM)
7.4*4.3*5.8(FT)



DECLINE CHEST PRESS

A7092



DIMENSIONS

1600*1480*1710(MM)
5.3*4.9*5.6(FT)



MULTI HACK SQUAT

A7072



DIMENSIONS

1770*2093*1475(MM)
5.8*6.6*4.8(FT)



ABDOMINAL CRUNCH

A6020



DIMENSIONS

1480*1090*1530(MM)
4.9*3.6*5.1(FT)



HIP THRUST

A7027



DIMENSIONS

1850*1500*1200(MM)
6.1*4.9*3.9(FT)



BELT SQUAT

A7001



DIMENSIONS

1600*1600*1655(MM)
5.2*5.2*5.4(FT)



CLASSIC PULLOVER

A7006



DIMENSIONS

1720*1540*1445(MM)
5.6*5*4.7(FT)



CLASSIC WIDE PULLDOWN

A7007



DIMENSIONS

1980*1300*1855(MM)
6.5*4.3*6.1(FT)



CLASSIC SEATED CHEST PRESS

A7011




DIMENSIONS

1455.6*1891*1434(MM)
4.8*6.2*4.7(FT)



SEATED TRICEPS OVERHEAD EXTENSION

A7013



DIMENSIONS

1326*2139*1520(MM)
4.3*7*5(FT)



SEATED ISO LOW ROW

A7014



DIMENSIONS

1760*1340*1410(MM)
5.8*4.4*4.6(FT)



VERTICAL LEG PRESS

A7016



DIMENSIONS

1523*1580*1985(MM)
5*5.2*6.5(FT)



SEATED LEGS CURL

A7018



DIMENSIONS

1300*1150*1150(MM)
4.3*3.8*3.89(FT)



CLASSIC ISO LATERAL ROW

A7038



DIMENSIONS

1420*1050*1360(MM)
6.3*3*5.7(FT)



CLASSIC SEATED LONG ROW

A7036



DIMENSIONS

1930*920*1750(MM)
6.3*3*5.7(FT)



MILITARY SHOULDER PRESS PRO

A7042



DIMENSIONS

1670*2050*1580(MM)
5.5*6.7*5.2(FT)



MULTI SHOULDER PRESS

A7060



DIMENSIONS

1760*1130*1530(MM)
5.8*3.7*5.0(FT)



MULTI DEADLIFT&SHRUG

A7041



DIMENSIONS

1760*1350*1465(MM)
5.8*4.4*4.8(FT)



CROSSOVER FLAT CHEST PRESS

A7045




DIMENSIONS

1685*1860*820(MM)
5.5*6.1*2.7(FT)



CROSSOVER INCLINE CHEST PRESS

A7046



DIMENSIONS

1800*1842*995(MM)
5.9*6.0*3.3(FT)



PAD SUPPORT ROW

A7083




DIMENSIONS

1960*1385*1480(MM)
6.4*4.5*4.8(FT)



STANDING ABDUCTOR

A7065



DIMENSIONS

1835*1310*1415(MM)
6.0*4.3*4.6(FT)



HIP PRESS

A7068




DIMENSIONS

1970*1610*1680(MM)
6.5*5.3*5.5(FT)



HIP THRUST RACK

A7069



DIMENSIONS

1710*1620*930(MM)
5.6*5.3*3.0(FT)



LEG CURL

A7085



DIMENSIONS

1935*1350*850(MM)
6.35*4.4*2.78(FT)



ISO DECLINE CHEST PRESS

A7087



DIMENSIONS

1690*1770*1210(MM)
5.5*5.8*4.0(FT)

CLASSIC INCLINE CHEST PRESS

A7010



DIMENSIONS

1457*2354*1285(MM)
4.8*7.7*4.2(FT)



MULTI LUNGE PRESS

A7070



DIMENSIONS

1390*1650*960(MM)
4.6*5.4*3.1(FT)



POWER SQUAT

A7073



DIMENSIONS

2200*1460*1600(MM)
7.2*4.8*5.2(FT)



MAX GLUTE KICKBACK PRO

A7074



DIMENSIONS

1660*1370*2190(MM)
5.4*4.5*7.2(FT)



MAX LUNGE PRO

A7075



DIMENSIONS

2180*1700*1850(MM)
7.2*5.6*6.1(FT)



**MULTI REVERSE
GLUTE HAM**

A7058



DIMENSIONS

1630*1840*905(MM)
5.3*6*2.9(FT)



ROTATING HIP THRUST

A7059



DIMENSIONS

1775*1380*1045(MM)
5.8*4.5*2.9(FT)





Elite STRENGTH

Elite is designed for individuals of various ages and training levels and is perfectly aligned with the principles of biomechanics to ensure safe training. Combining innovation and advanced technology, the Elite series offers unique and cutting-edge training products, delivering you the ultimate fitness experience.

SEATED LEG EXTENSION & CURL COMBO

A5028



DIMENSIONS

1300*1150*1620(MM)
4.3*3.8*5.3(FT)

STACK

100KG
220LB



SHOULDER PRESS & CHEST PRESS COMBO

A5027



DIMENSIONS

1900*1320*1620(MM)
6.2*4.3*5.3(FT)

STACK

100KG
220LB



LEG CURL & EXTENSION COMBO

A5026



DIMENSIONS

1820*1030*1620(MM)
6*3.4*5.3(FT)

STACK

100KG
220LB



LAT PULLDOWN & SEATED ROW COMBO

A5025



DIMENSIONS

1935*1230*2230(MM)
6.3*4.3*7.3(FT)

STACK

100KG
220LB



ARMS CURL & EXTENSION COMBO

A5024



DIMENSIONS

1300*1250*1620(MM)
4.3*4.1*5.3(FT)


STACK

75KG
165LB



ABDOMINAL & LOWER BACK EXTENSION COMBO

A5023



DIMENSIONS

1250*1100*1620(MM)
4.1*3.6*5.3(FT)

STACK

75KG
165LB



SEATED CHEST PRESS

A5001



DIMENSIONS

1400*1450*1620(MM)
4.6*4.8*5.3(FT)

STACK

100KG
220LB



ABDOMINAL

A5002



DIMENSIONS

1015*980*1620(MM)
4.6*4.8*5.3(FT)

STACK

75KG
165LB



LAT PULLDOWN (HIGH FULLY)

A5003



DIMENSIONS

1000*1450*2280(MM)
3.3*4.8*7.5(FT)

STACK

100KG
220LB



SHOULDER PRESS

A5004



DIMENSIONS

1320*1600*1620(MM)
4.3*5.2*5.3(FT)

STACK

100KG
220LB



SEATED ROW

A5005



DIMENSIONS

780*1300*1950(MM)
2.6*4.3*6.4(FT)

STACK

100KG
220LB



SEATED DIP

A5006



DIMENSIONS

1110*1300*1620(MM)
3.6*4.3*5.3(FT)

STACK

100KG
220LB



GLUTE HAM

A5007



DIMENSIONS

980*1160*1620(MM)
3.2*3.8*5.3(FT)

STACK

75KG
165LB



SEATED LEG PRESS

A5009



DIMENSIONS

1060*1520*1620(MM)
3.5*5*6(FT)

STACK

100KG
220LB



LEG EXTENSION

A5010



DIMENSIONS

980*1200*1620(MM)
3.2*3.9*5.3(FT)

STACK

100KG
220LB



LEG CURL

A5011



DIMENSIONS

950*1780*1620(MM)
3.1*5.8*5.3(FT)

STACK

100KG
220LB



ARM CURL BICEPS

A5012



DIMENSIONS

1090*1170*1620(MM)
3.6*3.8*5.3(FT)

STACK

75KG
165LB



HIP ADDUCTION / ABDUCTION COMBO

A5014



DIMENSIONS

1450*1700*1620(MM)
4.8*5.6*5.3(FT)


STACK

75KG
165LB



PEC DECK FLY WITH REVERSE

A5015



DIMENSIONS

1300*1300*2030(MM)
4.3*4.3*6.7(FT)

STACK

100KG
220LB



CHIN-UP, DIP ASSIST

A5016



DIMENSIONS

1020*2150*2020(MM)
3.3*7*6.6(FT)

STACK

100KG
220LB



ROTARY TORSO

A5018



DIMENSIONS

960*1170*2100(MM)
3.1*3.8*6.9(FT)

STACK

75KG
165LB



LATERAL RAISE

A5020



DIMENSIONS

1175*1195*1620(MM)
3.9*4*5.3(FT)


STACK

75KG
165LB



STANDING CALF RAISE

A5021



DIMENSIONS

780*1320*1750(MM)
2.6*4.3*5.7(FT)

STACK

75KG
165LB



MULTI FUNCTIONAL TRAINER

A1062



DIMENSIONS

2400*950*2250 (MM)
7.9*3*7.4(FT)

STACK

200KG
440LB

FOREARM TRAINER

A7050



DIMENSIONS

1268*800*1020(MM)
4.2*2.6*3.3(FT)



3 STATION CABLE

A1064



DIMENSIONS

1570*2200*2350(MM)
5.1*7.2*7.7(FT)

THE CAGE 8 STATION9 (2 PULL DOWN, 2 ROW)

A7052



DIMENSIONS

5780*4290*2350(MM)
19.0*14.1*7.7(FT)

Bench & Racks STRENGTH

We carefully select premium bearings, paint, and steel—some components are up to 100mm thick. Advanced laser cutting and high-performance fiber cushions ensure our equipment delivers stability, durability, and comfort.

Our mission is to create the ultimate fitness experience, helping you enjoy both comfort and performance in every workout.

CABLE CROSS OVER



DIMENSIONS A4000-25
1080*3500*2220(MM)
3.5*11*7.3(FT)

DUAL PULLEY



DIMENSIONS A4000-26
750*1600*2260(MM)
2.5*5.2*7.4(FT)

SMITH 2000



DIMENSIONS A4000-27(P-SM20)
1400*2000*2020(MM)
4.6*6.6*6.62(FT)

SAFETY WITH PIVOT SHOULDER PRESS BENCH



DIMENSIONS A7055
1815*1712*1930(MM)
5.9*5.6*6.3(FT)

SAFETY WITH PIVOT INCLINE BENCH



DIMENSIONS A7056
1620*1740*1550(MM)
5.3*5.7*5(FT)

MILITARY BENCH PRO



DIMENSIONS A7057
1400*1680*1880(MM)
4.6*5.5*6.2(FT)

OLYMPIC BENCH



DIMENSIONS A4000-30(F-OB)
1750*1600*1060(MM)
5.7*5.2*3.5(FT)

OLYMPIC BENCH



DIMENSIONS A4000-30A
1750*1600*1060(MM)
5.7*5.2*3.5(FT)

OLYMPIC INCLINE BENCH



DIMENSIONS A4000-31 (F-OIB)
1700*1650*1350(MM)
5.6*5.4*4.4(FT)

SAFETY FLAT BENCH



DIMENSIONS A4070
1750*1600*1060(MM)
5.7*5.2*3.5(FT)

SAFETY INCLINE BENCH



DIMENSIONS A4071
1700*1650*1350(MM)
5.6*5.4*4.4(FT)

OLYMPIC DECLINE BENCH



DIMENSIONS A4000-32 (F-ODB)
2160*1710*1140(MM)
7*5.6*3.7(FT)

UTILITY BENCH



DIMENSIONS A4000-33A
1350*875*750(MM)
4.4*2.9*2.5(FT)

ADJUSTABLE INCILNE BENCH



DIMENSIONS A4000-33F
1500*850*1300(MM)
4.9*2.1*4.3(FT)

SIT UP



DIMENSIONS A4000-34
1550*700*1190(MM)
5.1*2.3*3.9(FT)

ADJUSTABLE DECILNE BENCH



DIMENSIONS A4000-34A
1710*530*950(MM)
5.6*1.7*3(FT)

FLAT BENCH



DIMENSIONS A4000-35 (F-FB)
1250*700*430(MM)
4.1*2.3*1.4(FT)

ROMAN CHAIR (45~90° ADJUST TYPE)



DIMENSIONS A4000-36
1100*840*750(MM)
3.6*2.8*2.5(FT)

PREACHER CURL BENCH (STAND TYPE)



DIMENSIONS A4000-37A
1022*1792*1115(MM)
3.4*5.9*3.7(FT)

PREACHER CURL BENCH



DIMENSIONS A4000-37
805*1070*1030(MM)
2.6*3.5*3.4(FT)

UTILITY BENCH



DIMENSIONS A4000-38 (F-UB)
1200*500*1050(MM)
3.9*1.64*3.4(FT)

T-BAR ROW



DIMENSIONS A4000-39 (P-TR)
1840*800*1070(MM)
6*2.6*3.5(FT)

V-BAR ROW



DIMENSIONS A4000-39A
1690*830*970(MM)
5.5*2.7*3.2(FT)

V-BAR ROW



DIMENSIONS A4000-39A
1690*830*970(MM)
5.5*2.7*3.2(FT)

3D SMITH



DIMENSIONS A4000-40
1600*2000*2065(MM)
5.2*6.6*6.8(FT)

SMITH + HALF RACK



DIMENSIONS A4000-40A
2050*2180*2200(MM)
6.7*7.2*7.2(FT)

ANGLE SMITH 2000



DIMENSIONS A4000-28 (SM20)
2068*1434*2324(MM)
6.78*4.7*7.62(FT)

FIXED BARBELL RACK



DIMENSIONS A4000-42 (F-FBR)
910*880*1580(MM)
3*2.9*5.2(FT)

DISCS RACK



DIMENSIONS A4000-43 (F-DR)
600*650*1400(MM)
2*2.1*4.6(FT)

DUMBBELL RACK (LOW TYPE)



DIMENSIONS A4000-44 (F-DBR-2)
600*2400*950(MM)
1.9*7.9*3.1(FT)

DUMBBELL RACK (BASIC TYPE)



DIMENSIONS A4000-44A (F-DBR-1)
850*2400*950(MM)
2.8*7.9*3.1(FT)

VERTICAL DUMBBELL RACK



DIMENSIONS A4000-44B
600*650*1200(MM)
1.9*2.1*3.9(FT)

DIP & LEG RAISE



DIMENSIONS A4000-45 (F-DLR)
1500*650*1600(MM)
4.9*2.1*5.2(FT)

SQUAT RACK



DIMENSIONS A4000-46
1550*1750*1680(MM)
5*5.7*5.5(FT)

SEATED CALF RAISE



DIMENSIONS A4000-47 (F-SCR)
1400*600*1550(MM)
4.6*1.9*4.9(FT)

PLATE INCLINE BENCH



DIMENSIONS A4000-48
1920*1280*1240(MM)
6.3*4.2*4(FT)

PLATE FLAT BENCH



DIMENSIONS A4000-48A
1800*1300*1060(MM)
5.9*4.3*3.5(FT)

PLATE DECLINE BENCH



DIMENSIONS A4000-48B
2175*1230*1030(MM)
7.1*4*3.4(FT)

POWER RACK



DIMENSIONS A4000-49(F-PR)
1720*1725*2310(MM)
5.6*5.7*7.5(FT)

HANDLE RACK PRO



DIMENSIONS A4000-50 (F-HDRP)
1190*780*1365(MM)
3.9*2.55*4.5(FT)

HANDLE RACK



DIMENSIONS A4000-50A
540*570*770(MM)
1.7*1.9*2.5(FT)

**BARBELL RACK
(STAND TYPE)**



DIMENSIONS A4000-51
1245*560*245(MM)
4.1*1.8*0.8(FT)

**BENTOVER LATERAL
RAISE**



DIMENSIONS A4000-52
1765*750*1000(MM)
5.8*2.5*3.3(FT)

TWIST DOUBLE



DIMENSIONS A4000-53(F-TD)
1480*585*1270(MM)
4.9*1.9*4.2(FT)

MOVING LEG RAISE



DIMENSIONS A4000-54
1075*690*1420(MM)
3.5*2.3*4.7(FT)

HALF RACK



DIMENSIONS A4000-55
1370*1720*2270(MM)
4.5*5.6*7.4(FT)

GHD 90°ROMAN CHAIR



DIMENSIONS A4000-56
1650*930*1140(MM)
5.4*3*3.7(FT)

**MULTI GYM PRO
(8STATION)**



DIMENSIONS A40000-57
4000*6000*2350(MM)
13*19.7*7.7(FT)





GluteMAX

STRENGTH

Glute Training Zone Equipment

MULTI REVERSE GLUTE HAM

A7058



DIMENSIONS

1630*1840*905(MM)
5.3*6*2.9(FT)



HIP THRUST RACK

A7069



DIMENSIONS

1710*1620*930(MM)
5.6*5.3*3.0(FT)

MULTI HIP

A7063



DIMENSIONS

1140*1070*1610(MM)
3.7*3.5*5.3(FT)

STACK

100KG
220LB



POWER SQUAT

A7073



DIMENSIONS

2200*1460*1600(MM)
7.2*4.8*5.2(FT)



MAX GLUTE KICKBACK PRO

A7074



DIMENSIONS

1660*1370*2190(MM)
5.4*4.5*7.2(FT)



MAX LUNGE PRO

A7075



DIMENSIONS

2180*1700*185(MM)
7.1*5.6*6.1(FT)



STANDING ABDUCTOR

A7065



DIMENSIONS

1835*1310*1415(MM)
6*4.3*4.6(FT)



GLUTE ISOLATOR PRO

A7066



DIMENSIONS

1600*1200*1900(MM)
5.2*3.9*6.2(FT)

STACK

100KG
220LB



ARC GLUTE KICKBACK

A7067



DIMENSIONS

1810*1060*1980(MM)
5.9*3.4*6.5(FT)

STACK

100KG
220LB



POWER RUNNER

A6014



DIMENSIONS

1370*1450*1440(MM)
4.5*4.8*4.7(FT)



INCLINE HIP ABDUCTION

A7029



DIMENSIONS

1900*1480*1220(MM)
6.2*4.9*4(FT)



STANDING HIP THRUST

A7026



DIMENSIONS

1200*1000*1200(MM)
3.9*3.3*4(FT)



HIP PRESS

A7068



DIMENSIONS

1970*1610*1680(MM)
6.5*5.3*5.5(FT)



MULTI LUNGE

A7070



DIMENSIONS

1710*1620*930(MM)
5.6*5.3*3(FT)



REVERSE HYPER

A6012




DIMENSIONS

1650*1250*1600(MM)
5.4*4.1*5.2(FT)



HIP THRUST

A7027



DIMENSIONS

1650*1500*1200(MM)
6.1*4.9*3.9(FT)



BELT SQUAT

A7001



DIMENSIONS

1600*1600*1655(MM)
5.2*5.2*5.4(FT)



SQUAT STATION PRO

A7002



DIMENSIONS

1750*1780*1090(MM)
5.7*5.8*3.6(FT)



GLUTE HAM



A5007

DIMENSIONS

980*1160*1620(MM)
3.2*3.8*5.3(FT)



HIP ADDUCTION / ABDUCTION COMBO



A5014

DIMENSIONS

1450*1700*1620(MM)
4.8*5.6*5.3(FT)

STACK

75KG
165LB



ROTATING HIP THRUST



A7059

DIMENSIONS

1775*1380*1045(MM)
5.8*4.5*2.9(FT)




GLUTEMAX
POWERED BY MAXPUMP


Rapid Customization

Maxpump Services

RAPID CUSTOMIZED DESIGN&MANUFACTURING

Fully customized Strength Training Equipment from concept to assembly, engineered to meet your unique performance goals and professional-grade standards—all delivered within *10-15 weeks*.





Weightlifting Bar

Customized Products for Gym Owner

POWERLIFTING STAINLESS BAR



Weights	Specification	Remarks
20KG	44LB	28mm*2.2m

CERAKOTE MEN BAR



Weights	Specification	Remarks
20KG	44LB	28mm*2.2m

CERAKOTE WOMEN BAR



Weights	Specification	Remarks
15KG	33LB	25mm*2.01m

CERAKOTE MEN TRAINING BAR



Weights	Specification	Remarks
20KG	44LB	28mm*2.2m

WOMEN TRAINING BAR



Weights	Specification	Remarks
15KG	33LB	25mm*2.01m

POWERLIFTING BAR



Weights	Specification	Remarks
20KG	44LB	29mm*2.2m

HARD CHROMIUM MEN BAR



Weights	Specification	Remarks
20KG	44LB	28mm*2.2m

HARD CHROMIUM WOMEN BAR



Weights	Specification	Remarks
15KG	33LB	25mm*2.01m

HARD CHROMIUM WOMEN BAR



Weights	Specification	Remarks
16KG	35LB	25mm*2.02m

TRAINING BAR




Weights	Specification	Remarks
12KG	26LB	28mm*1.5m

TRAINING CURL BAR



Weights	Specification	Remarks
9KG	19LB	28mm*1.2m

TRAINING STRAIGHT BAR



Weights	Specification	Remarks
10KG	22LB	28mm*1.3m

SQUARE BAR



Weights	Specification	Remarks
11.5KG	26LB	29mm*2.2m

CAMOUFLAGE BAR



Weights	Specification	Remarks
20KG	44LB	29mm*2.2m

POWERLIFTING BAR



Weights	Specification	Remarks
20KG	44LB	29mm*2.2m

CAMOUFLAGE BAR



Weights	Specification	Remarks
20KG	44LB	29mm*2.2m

COMBO HEX BAR



Weights	Specification	Remarks
20KG	44LB	25mm*1.42mm
25KG	55LB	28mm*1.8mm
30KG	66LB	28mm*2.18mm





Barbells STRENGTH

Value-Added Services for Clients

We offer clients a custom LOGO weight service with multiple color options.

CPU DODECAGON BARBELL



DIMENSIONS

- JUMP EVERY 5 KILOGRAMS (1MF10-1MF50)

Classic 12-sided barbells with ends encased in heavy-duty, odorless urethane.
High-quality polyurethane material
Special-treated alloy steel handle
Surface treatment nickel or hard chrome plating,
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Choose from straight or curl bars
Customized knurling available
Tolerance: $\pm 1-3\%$
Weight increment: 10-50KG

CPU RING-COLLARED BARBELL



DIMENSIONS

- JUMP EVERY 5 KILOGRAMS (1MF10-1MF50)

The stylish and durable black urethane finish is known for its superior performance.
You can add your logo, slogan, or for a lighter touch, your brand color to our urethane barbell sets.
High-quality polyurethane material
Surface treatment nickel or hard chrome plating,
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Choose from straight or curl bars
Customized knurling available
Tolerance: $\pm 1-3\%$
Weight increment: 10-50KG

CPU CLASSIC BARBELL



DIMENSIONS

- JUMP EVERY 5 KILOGRAMS (1MF10-1MF50)

The classic look can often be a staple in any gym and is the perfect addition to strength training at any time.
High-quality polyurethane/rubber material
Surface treatment nickel or hard chrome plating,
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Choose from straight or curl bars
Customized knurling available
Tolerance: $\pm 1-3\%$
Weight increment: 10-50KG

CPU INNER-DODECAGON BARBELL



DIMENSIONS

- JUMP EVERY 5 KILOGRAMS (1MF10-1MF50)

Our urethane barbells won't be seen to scuff or mark your gym floor. Whether you are a gym, hotel, or home with your own gym, you can fully tailor your design to match what you want.
High-quality polyurethanematerial
Surface treatment nickel or hard chrome plating,
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Choose from straight or curl bars
Customized knurling available
Tolerance: $\pm 1-3\%$
Weight increment: 10-50KG



Weight Plates

STRENGTH

Custom LOGO weight service for our clients, optional in a variety of colors.

CPU DODECAGON BUMPER PLATE



DIMENSIONS	KILOGRAMS
1.25	KG
2.5	KG
5	KG
10	KG
15	KG
20	KG
25	KG
2.5	LB
10	LB
25	LB
35	LB
45	LB

Classic 12-sided urethane Olympic discs, an innovative anti-roll design adds a safety and stylish edge to your weight training session.Unique 2 grips contoured design Tapered handgrips eliminate nipped fingersPrecision casting.Premium urethane surface coating 12-sided design minimizes rolling Stainless-steel insert, and the diameter of the hole is 50.6mm +/-0.2mm Tolerance: ±3% Weight increment: 1.25KG-25KG / 2.5LB-45LB

CPU RED TRIANGLE BUMPER PLATE



DIMENSIONS	KILOGRAMS
1.25	KG
2.5	KG
5	KG
10	KG
15	KG
20	KG
25	KG

Change the color of the triangle at will and laser your brand and text on, one of our best sellers. Unique 3 grips contoured design Premium urethane surface coating Specially designed handgrips eliminate finger bites and allow for precision casting Stainless-steel insert, and the diameter of the hole is 50.6mm +/-0.2mm Tolerance: ±3% Weight increment: 1.25KG-25KG

CPU 4-HOLE BUMPER PLATE



DIMENSIONS	KILOGRAMS
1.25	KG
2.5	KG
5	KG
10	KG
15	KG
20	KG
25	KG

Premium polyurethane coating minimizes gym surface marks and is suitable for any free-weight zone. Unique 4 grips contoured design Premium urethane surface coating Specially designed handgrips eliminate finger bites and allow for precision casting Stainless-steel insert, and the diameter of the hole is 50.6mm +/-0.2mm Tolerance: ±3% Weight increment: 1.25KG-25KG Covered TPU/CPU available

CPU WHEEL HUB BUMPER PLATE



DIMENSIONS	KILOGRAMS
5	KG
10	KG
15	KG
20	KG
25	KG
10	LB
25	LB
35	LB
45	LB
55	LB

Our Olympic weightlifting is perfectly in line with IWF competition standards, and our strong point. High-quality polyurethane material Chrome Plated steel insert with lightly glossed edges offers an alternative design to traditional Olympic discs, for gyms looking for a consistent design throughout their facility Raised color lettering in standard Olympic colors, allowing for quick weight identification The diameter of the hole is 50.6mm +/-0.2mm, Outer diameter of the disc is 450mm Each disc calibrated to 1% weight accuracy Weight increment: 5KG-25KG / 10LB-55LB



CPU BUMPER PLATE LF001 TPU BUMPER PLATE LF001



CUP	DIMENSIONS	KILOGRAMS	
	1.25	KG	
	2.5	KG	
	5	KG	
	10	KG	
	15	KG	
	20	KG	
	25	KG	
	2.5	LB	
	5	LB	
	10	LB	
	25	LB	
	35	LB	
	45	LB	
TPU	DIMENSIONS	KILOGRAMS	
	1.25	KG	
	2.5	KG	
	5	KG	
	10	KG	
	15	KG	
	20	KG	
	25	KG	

Premium polyurethane coating minimizes gym surface marks and is suitable for any free-weight zone.
Unique 3 grips contoured design
Premium urethane surface coating
Specially designed handgrips eliminate finger bites and allow for precision casting
Stainless-steel insert, and the diameter of the hole is 50.6mm +/-0.2mm
Tolerance: ±3%
Weight increment: 1.25KG-25KG
Covered TPU/CPU available

CPU 3-HOLE BUMPER PLATE TPU 3-HOLE BUMPER PLATE



CUP	DIMENSIONS	KILOGRAMS	
	1.25	KG	
	2.5	KG	
	5	KG	
	10	KG	
	15	KG	
	20	KG	
	25	KG	
	2.5	LB	
	5	LB	
	10	LB	
	25	LB	
	35	LB	
	45	LB	
TPU	DIMENSIONS	KILOGRAMS	
	1.25	KG	
	2.5	KG	
	5	KG	
	10	KG	
	15	KG	
	20	KG	
	25	KG	

Ergonomic grips make this premium urethane disc a worthy addition to any free weights area.
Unique 3 grips contoured design
Premium urethane coating doesn't mark
Laser-etched logo and weight with custom branding available
Stainless-steel insert, and the diameter of the hole is 50.6mm +/-0.2mm
Tolerance: ±3%
Weight increment: 1.25KG-25KG / 2.5LB-45LB
Covered TPU/CPU available

CPU BUMPER PLATE LF001 TPU BUMPER PLATE LF001



CUP	DIMENSIONS	KILOGRAMS	
	1.25	KG	
	2.5	KG	
	5	KG	
	10	KG	
	15	KG	
	20	KG	
	25	KG	
TPU	DIMENSIONS	KILOGRAMS	
	1.25	KG	
	2.5	KG	
	5	KG	
	10	KG	
	15	KG	
	20	KG	
	25	KG	

Premium polyurethane coating minimizes gym surface marks and is suitable for any free-weight zone.
Unique 3 grips contoured design
Premium urethane surface coating
Specially designed handgrips eliminate finger bites and allow for precision casting
Stainless-steel insert, and the diameter of the hole is 50.6mm +/-0.2mm
Tolerance: ±3%
Weight increment: 1.25KG-25KG
Covered TPU /CPUavailable





Dumbbells STRENGTH

Custom LOGO weight service for our clients, optional in a variety of colors.

CPU DODECAGON BARBELL



DIMENSIONS

- JUMP EVERY 2 KILOGRAMS (1MF2-1MF50)
- JUMP EVERY 2.5 KILOGRAMS (1MF52.5-1MF70)

Nice visual with the recessed outer circle. You can totally add your brand and logo to stand out from the competition.
High-quality polyurethane material
Special treatment alloy steel handle
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Close-fitting dumbbell
Tolerance: $\pm 1-3\%$
Weight increment: 2-70KG / 2.5-70KG / 5-140LB

CPU RING-COLLARED BARBELL



DIMENSIONS

- JUMP EVERY 2 KILOGRAMS (1MF2-1MF50)
- JUMP EVERY 5 KILOGRAMS (1MF50-1MF60)

You can customize the color of the circle as you like, and bring highlights to your products. It must be ideal for free-weight areas.
High-quality polyurethane material
Special treatment alloy steel handle
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Customized knurling depth
Tolerance: $\pm 1-3\%$
Weight increment: 2-60KG / 2.5-60KG / 5-100LB

CPU OCTAGON DUMBBELL



DIMENSIONS

- JUMP EVERY 2 KILOGRAMS (1MF2-1MF50)

The 8-sided design won't let the dumbbells roll around, the large enough to customize the area to meet your higher needs, and the rough leather grain gives you a different texture.
High-quality polyurethane material
Special treatment alloy steel handle
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Customized knurling depth
Tolerance: $\pm 1-3\%$
Weight increment: 2-50KG / 5-120LB

CPU DODECAGON DUMBBELL



DIMENSIONS

- JUMP EVERY 2 KILOGRAMS (1MF2-1MF60)

12-sided premium urethane dumbbells are made to offer superior durability with a pouring process and high-grade steel.
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Customized knurling depth
Tolerance: $\pm 1-3\%$
Weight increment: 2-60KG / 2.5-80KG / 5-200LB

CPU GRAY INNER-RING DUMBBELL



DIMENSIONS

- JUMP EVERY 2 KILOGRAMS (1MF2-1MF70)

You can personalize this dumbbell with unique patterns and text. Plus, the middle circle's color is fully customizable to match your preferences.
High-quality polyurethane material
Special treatment alloy steel handle
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Customized knurling depth
Tolerance: $\pm 1-3\%$
Weight increment: 2-50KG / 2.5-70KG / 5-150LB

CPU CLASSIC BARBELL



DIMENSIONS

- JUMP EVERY 2 KILOGRAMS (1MF2-1MF60)


Basic rubber dumbbells, high-quality handles, and 12mm rubber thickness, longer service life than ordinary rubber.
High-quality rubber material
Special treatment alloy steel handle
24-hour salt spray test
Close-fitting dumbbell
12mm thick polyurethane layer
Customized knurling depth
Tolerance: $\pm 1-3\%$
Weight increment: 2-60KG / 2.5-60KG / 5-150LB




Upholstery Color

STRENGTH


Custom LOGO weight service for our clients,
optional in a variety of colors.




BLACK



GREY



RED



RPYABLUE





Frame Colors

STRENGTH

Custom LOGO weight service for our clients, optional in a variety of colors.

FRAME COLOURS

Glossy black



C8960HT

Glossy green



C6046

Glossy blue



C7052

Glossy orange



C5077

Glossy purple



C3102

Glossy red



C3086

Outdoor yellow



HR-CB015-1

Glossy white



B1190

Matt white



B1204F2

Glossy yellow



C5059

yellow



HR-BB023

RPYABLU



C8960HT

pink



HR-CE071

Matt Black



C5059

Matt white



HR-BA052

Orange



HR-BB033

Matt Black



HR-BG011

Indoor red




HR-BE022-1


PRODUCT COLOR



RUBBER MAT




CSP-RT-001




CSP-RT-002




CSP-RT-003



CSP-RT-004





CSP-RT-005




CSP-RT-006


SPECIFICATIONS	THICKNESS	APPLICATION
300MM X 300MM 500MM X 500MM 1000MM X 1000MM	10MM-50MM	STADIUM, TRAINING GROUND, PLAYGROUND, GYM, WORKSHOP
FEATURES	ELASTL, PREVENT, SLIPPERY, PROTECTIVE PERFORMANCE IS GOOD	




CSP-FT-001



CSP-FT-002



CSP-FT-003



CSP-FT-004



CSP-FT-005



CSP-FT-006


SPECIFICATIONS	THICKNESS	FEATURES
500MM X 500MM 1000MM X 1000MM	15MM-50MM	ELASTL, PREVENT, SLIPPERY, PROTECTIVE PERFORMANCE IS GOOD
COLOR	APPLICATION	STADIUM, TRAINING GROUND, PLAYGROUND, GYM, WORKSHOP
WHITE, RED, YELLOW, BLUE, GREEN, ORANGE, GRAY, ANY COLOR COMBINATION		



**Gym
Flooring**


Custom Logo Weights
Premium Quality Gym Flooring

RUBBER MAT



SPECIFICATIONS	THICKNESS	FEATURES
500MM X 500MM 1000MM X 1000MM	10MM-25MM	ELASTL,PREVENT,SLIPPERY,PROTECTIVE PERFORMANCEIS GOOD


COLOR	APPLICATION
WH ITE,RED,YELLOW,BLUE,G REEN,ORANGE,GRAY,ANY COLOR COM BL NATION	STADIUM,TRAINING GROUND,PLAYGROUND,GYM,WORKSHOP



SPECIFICATIONS	THICKNESS	FEATURES
500MM X 500MM 1000MM X 1000MM	15MM-50MM	ELASTL,PREVENT,SLIPPERY,PROTECTIVE PERFORMANCEIS GOOD

COLOR	APPLICATION
WHITE,RED,YELLOW,BLUE,GREEN,ORANGE,GRAY,ANY COLOR COMBINATION	STADIUM,TRAINING GROUND,PLAYGROUND,GYM,WORKSHOP

RUBBER MAT



SPECIFICATIONS	THICKNESS	FEATURES	APPLICATION
300MM X 300MM 500MM X 500MM 1000MM X 1000MM	10MM-50MM	ELASTL,PREVENT,SLIPPERY,PROTECTIVE PERFORMANCEIS GOOD	STADIUM,TRAINING GROUND,PLAYGROUND,GYM,WORKSHOP

GYMS THAT PARTNER WITH MAXPUMP

MAXPUMP X GYM

OUR
PARTNERS

DESIGNED
FOR
ELITE
ATHLETES

OUR PARTNERS






www.maxpumpsport.com

 MAXPUMPSPORT
 maxpumpsport

UNLOCK YOUR ELITE POTENTIAL

The background of the right side of the image is a photograph of a gym interior. It features various pieces of exercise equipment, including a large squat rack in the foreground and other machines in the background. The gym has a concrete floor and walls with some posters or notices. The lighting is somewhat dim, with some brighter areas from overhead lights.

**MAXPUMP
ENGINEERED IN USA**

Maxpump's US-designed, ergonomic, and innovative devices ensure efficient and safe training.
Elevate your performance with our patented equipment

MAXPUMP

DESIGNED FOR ELITE ATHLETES